

# Harmony / HMYXXXX

Disassembly Instructions and Recycling



## Required Tools, Time, and Personnel:


- 2mm Allen wrench
- Phillip's head screw driver
- (Optional) Putty knife

Disassembly time estimated to take 15 minutes.  
Three person minimum for safe operation.


## Standoff Hardware:

Follow the listed steps to remove the standoff hardware:


- Loosen the side mounted set screw using the 2mm Allen wrench.
- Unscrew the thumb screw.
- Remove the drywall screw using a Phillip's head screwdriver.




## Step 1: Remove Standoff Hardware from the corner located closest to the marker tray.



## Step 2: Remove the marker tray accessory from the wall. If the tray is adhered to the wall with tape, use the putty knife to gently pry the tray from the wall.







**Step 3:** While supporting the glassboard remove all remaining standoffs. Gently set the glassboard down once removed.

Caution: Do not unscrew standoffs until both sides are firmly held or supported.

**Step 4:** (Optional) If the glassboard has a rear magnetic panel pry one corner away from the glass using a putty knife. Continue to separate the magnetic panel from the glassboard until fully separated.



**Recycling Guidelines:**

- Steel and Aluminum - Common metals can be recycled at local scrap yards and nearly all recycling centers.
- Nylon - Polyamides can be recycled but due to technical limitations require special processes. Consult local recycling centers for more information.
- Tempered glass - Tempered glass can be recycled through an annealing process, however this is often cost prohibitive. If you are not in an area with a tempered glass recycling facility please consult local construction companies to see if they accept tempered glass for use in large volume construction applications such as roadways.
- Miscellaneous Accessories - consult local guidelines to determine if you are able to recycle composite plastics at your recycling centers.

